# **Original Paper**

Indoor and Built Environment

Indoor Built Environ 2010;19;3:391-399

Accepted: June 10, 2009

# An Evaluation of Loading Rate of Dust, Pb, Cd, and Ni and Metals Mass Concentration in the Settled Surface Dust in Domestic Houses and Factors Affecting Them

## M.I. Khoder S.K. Hassan A.A. El-Abssawy

Air Pollution Research Department, National Research Centre, Giza, Egypt

# **Key Words**

 $\begin{array}{l} Surface \ dust \ \cdot \ Domestic \ houses \ \cdot \ Interior \ \cdot \ Exterior \ \cdot \\ Loading \ rate \ \cdot \ Mass \ concentration \ \cdot \ Pb \ \cdot \ Cd \ \cdot \ Ni \ \cdot \\ Location \ \cdot \ Age \ \cdot \ Tobacco \ smoke \end{array}$ 

#### Abstract

Interior and exterior measurements of surface loading rates for settled surface dust in domestic houses and the content of three metals – lead (Pb), cadmium (Cd) and nickel (Ni) – were conducted weekly during the autumn of 2007 in an urban area of Giza, Egypt. Surface mass concentrations of the metals were also calculated. Results revealed that the interior and exterior surface loading rates averaged 1.58 and  $8.18 \, g \, m^{-2}$  per week, respectively. The interior surface mass concentrations of Pb, Cd, and Ni averaged respectively 311.18, 33.09 and 53.51  $\mu$ g g<sup>-1</sup>, and their interior surface loading rates averaged 533.17, 54.78 and  $87.84 \, \mu g \, m^{-2}$  per week, respectively. The interior surface loading rates of dust

were higher at the side streets than at main streets although the interior surface mass concentrations and loading rates of the metals were higher at the main streets than at side streets. Levels were higher in older homes and smoking homes than in new homes and non-smoking homes. Surface Pb per area in all homes exceeded the US EPA and US HUD guidelines  $(40 \,\mu g \, ft^{-2})$  of interior floor Pb dust wipe. Significant positive correlation coefficients were found between interior surface loading rates of metals and dust; among surface loading rates of metals; and among metals' surface mass concentration.

## Introduction

House dust from both exterior and interior sources can be the source of exposure to many environmental pollutants when deposited on indoor surfaces [1,2].

Dr M.I. Khoder,

E-Mail: khoder\_55@yahoo.com

Air Pollution Research Department, National Research Centre, Giza, Egypt. Tel. 00-202-33371433/2905, Fax 00-202-33370931,

House dust is a complex mixture of particulate material from outdoors as well as generated and anthropogenic sources from indoors including particles from skin, hair, mites, fibres from clothing and furnishings, cigarette smoke, cleaning products, cooking and heating emissions, building materials and many other materials found indoors [3,4]. A considerable fraction of interior dust can be derived from exterior soil. Various estimates of the contribution have been proposed, ranging from 20–30% [5,6] to 30–45% [7,8] of the interior dust.

Many indoor air pollutants can be adsorbed onto suspended particulate matter and later settle out on indoor surfaces. The composition of settled house dust can differ considerably between rooms of a given house and among geographic locations [2,9]. Indoor settled dust can include biological and chemical contaminants, combustion products and others [10]. This dust is also potentially an important route of exposure to heavy metals [11]. For example, interior dust and exterior soil are recognised as possible sources of lead (Pb) exposure, particularly through children's play and hand-to-mouth transfer of Pb-contaminated dust [2,12]. The Pb in the atmosphere comes from a variety of sources, particularly leaded gasoline and paint as well as refuse burning and waste incineration [13–17]. Another toxic metal is cadmium (Cd) from a variety of sources, particularly, indoors, tobacco smoking. Cadmium is also used in the accumulators of motor vehicles or in carburettors as an alloy and it is released after combustion [18,19]. The third metal examined here is nickel (Ni). Unlike Pb and Cd, contributions from mobile sources to Ni-emission inventories are small and derived primarily from engine wear and impurities in engine oil and fuel additives [20]. The combustion of oil and incineration of waste contribute more than 70% of total Ni to the atmosphere [21].

In the indoor environment, besides the penetration of outdoor particulate matter that contains the heavy metals, leaded paints used for interior decoration have a remarkable influence on Pb levels in house dust [22]. Tobacco smoke is also an important source of Pb and Ni as well as Cd in the indoor environment [23,24]. Metal concentrations are often higher in house dust than in the soil outside [7,25].

Pb is dangerous to human health and its effects include blood enzyme changes, anaemia, hyperactivity and neurological disorders, while both Cd and Ni are toxic metals and probably carcinogenic to humans [13,26–30]. The settled surface dust in domestic houses and its metal content are mostly still unstudied in Egypt and the present study aims to remedy this, looking at levels of the three metals, Pb, Cd and Ni, in household dust and their potential effects on health.

This study had two goals: first, to evaluate the levels of interior and exterior surface loading rates of the settled surface dust in domestic houses and the content of the three metals noted and their mass concentration in an urban area (El Haram) of Giza; and, second, to investigate the influence of three important factors (home location, home age and tobacco smoke) on the levels found.

# **Materials and Methods**

# Sampling Site and Period

Giza is located on the west bank of the River Nile, some 20 km southwest of the centre of Cairo. It lies between two huge industrial areas: Shoubra El-Khiema in the north and Helwan in the southeast. Roads in and around Giza are characterised by high traffic density. The study was conducted at eight different homes that occupied the second floor in a block that used liquefied petroleum gas, had natural ventilation, and were located in an urban area (El Haram) of Giza. These homes were carefully selected based on the differences in their location, age of the buildings, and tobacco smoking in the home. A smoking home was defined as one in which there was at least one smoker. Table 1 gives details of the homes in the study: location, age (when the house was built, in years), size (total area of home in  $m^2$ ), and information as to whether they were smoking or non-smoking homes.

Interior and exterior surface dust samples were taken weekly during the autumn months of 2007 (September, October and November). The interior samples of dust were collected at 75 cm above the floor in the living rooms, at least 1 m from the nearest door or window, and at least 20 cm from the nearest wall. Simultaneously, the exterior samples were collected nearby from a balcony of the same home.

# Sampling and Analysis

Samples of interior and exterior surface dust were collected using glass plates having a measuring area of  $1 \text{ m}^2$  according to the method described by Caravanos et al. [31]. Dust deposited on each glass plate was collected once per week by careful wiping. The samples were packaged in plastic 50 mL centrifuge tubes and then transferred to the laboratory. After weighting, dust samples were digested in a mixture of HCl and HNO<sub>3</sub>, according to Harrison and Perry [32]. Atomic absorption

| Ser. no.  | Туре        | Location | Size<br>(m <sup>2</sup> ) | Age<br>(year)   | Interior |      |        |      |      | Exterior |       |        |      |      |
|-----------|-------------|----------|---------------------------|-----------------|----------|------|--------|------|------|----------|-------|--------|------|------|
|           |             |          |                           | (year)          | Min.     | Max. | Median | Mean | SD   | Min.     | Max.  | Median | Mean | SD   |
| 1         | Non-smoking | Main St. | 105                       | 2\3             | 0.49     | 0.99 | 0.75   | 0.74 | 0.14 | 4.18     | 8.79  | 6.61   | 6.53 | 1.13 |
| 2         | homes       |          | 115                       | 16              | 0.55     | 1.52 | 1.05   | 1.08 | 0.32 | 4.88     | 9.49  | 7.31   | 7.23 | 1.14 |
| 3         |             | Side St. | 85                        | 1               | 0.75     | 1.70 | 1.10   | 1.20 | 0.30 | 5.68     | 10.29 | 8.11   | 8.03 | 1.12 |
| 4         |             |          | 75                        | 18              | 1.18     | 2.35 | 1.63   | 1.72 | 0.41 | 6.10     | 11.71 | 8.53   | 8.45 | 1.32 |
| 5         | Smoking     | Main St. | 120                       | $1 \setminus 2$ | 0.70     | 1.86 | 1.14   | 1.23 | 0.41 | 5.48     | 10.09 | 7.91   | 7.83 | 1.12 |
| 6         | homes       |          | 80                        | 20              | 1.06     | 2.26 | 1.70   | 1.67 | 0.42 | 5.50     | 11.91 | 8.31   | 8.25 | 1.48 |
| 7         |             | Side St. | 100                       | 2               | 1.35     | 3.05 | 2.16   | 2.18 | 0.57 | 6.30     | 12.91 | 9.23   | 9.15 | 1.53 |
| 8         |             |          | 65                        | 22              | 2.05     | 3.77 | 2.88   | 2.90 | 0.57 | 6.90     | 13.51 | 9.83   | 9.65 | 1.55 |
| All homes |             |          |                           |                 | 0.49     | 3.77 | 1.45   | 1.58 | 0.77 | 4.18     | 13.51 | 8.22   | 8.18 | 1.60 |

**Table 1.** A statistical summary of interior and exterior surface loading rates of settled surface dust in domestic houses ( $gm^{-2}$  per week) in Giza

spectrophotometry was used to quantify Pb, Cd and Ni in the samples.

#### Results

#### Surface Loading Rate of Dust

Table 1 gives a statistical summary of the interior and exterior surface loading rates of dust in these domestic houses (in  $gm^{-2}$  per week) in Giza through the study period. From this it can be seen that levels of the exterior surface loading rates of dust were much higher (5.2 times) than those indoors. The highest values of interior and exterior surface loading rates of dust (2.90 and  $9.65 \,\mathrm{g m}^{-2}$ per week, respectively) were found in the oldest home (22 years) located in a side street, categorised as a smoking home and the smallest of those studied  $(65 \text{ m}^2)$ . Meanwhile, the lowest values (0.74 and  $6.53 \text{ gm}^{-2}$  per week, respectively) were found in the newest home (8 months), which was located on a main street, categorised as a non-smoking home and was of a larger size  $(105 \text{ m}^2)$ . Overall the results showed that the average values of the surface loading rates of dust ranged from 0.49 to  $3.77 \,\mathrm{g}\,\mathrm{m}^{-2}$  per week indoors and from 4.18 to 13.51 gm<sup>-2</sup> per week outdoors. Differences in interior and exterior measurements were statistically significant (p < 0.001) and a significant positive correlation coefficient (r = 0.85, p < 0.001) was found between them.

## Mass Concentration and Loading Rate of Metals in the Settled Surface Dust

Table 2 shows a statistical summary of the interior and exterior surface mass concentrations (in  $\mu g g^{-1}$ ) and surface loading rates (in  $\mu g m^{-2}$  per week) of Pb, Cd and Ni detected in the settled surface dust in the examined homes. The levels of the interior surface mass

concentrations of Pb, Cd and Ni averaged respectively, 311.18, 33.09 and 53.51  $\mu$ g g<sup>-1</sup> and were relatively lower than the exterior levels (averaged 323.38, 35.19 and 56.30  $\mu$ g g<sup>-1</sup>, respectively). Differences in interior and exterior measurements were not statistically significant for the three metals. A significant positive correlation coefficients were found between interior and exterior surface mass concentrations of Pb (r = 0.72, p < 0.001), of Cd (r=0.84, p<0.001) and Ni (r=0.85, p<0.001). Showing the same trend, levels of the interior surface loading rates of Pb, Cd and Ni (averaged respectively 533.17, 54.78 and  $87.84 \,\mu g \,m^{-2}$  per week) were much lower than the exterior levels (averaged 2657.75, 290.75 and  $465.17 \,\mu g \,m^{-2}$  per week, respectively). Differences in the interior and exterior values were statistically significant only for Pb (p < 0.001) and not statistically significant for Cd and Ni. Significant positive correlation coefficients were found between interior and exterior surface loading rates for Pb (r = 0.69, p < 0.001), Cd (r = 0.82, p < 0.001) and Ni (r = 0.86, p < 0.001). The average of interior/ exterior (I/E) ratios of surface loading rates of metals was of order of 0.20 for Pb and 0.19 for both Cd and Ni.

In addition, the correlations among surface loading rates of dust; surface loading rates of the three metals; and metals' surface mass concentration in the interior settled surface dust in domestic houses were studied and a general picture of their correlation coefficients are reported in Table 3. The data indicate that, the interior surface loading rates of the metals were significantly correlated with the interior surface loading rate of the collected dust (Pb: r = 0.92; Cd: r = 0.81; and Ni: r = 0.73). Significant positive correlation coefficients were found between surface mass concentrations of Pb and Cd (r = 0.89), Pb and Ni (r = 0.84) and Cd and Ni (r = 0.98). Significant positive correlation coefficients were also found between surface loading rate of Pb and Cd (r = 0.95), Pb and Ni (r = 0.90) and Cd and Ni (r = 0.98).

**Table 2.** A statistical summary of the interior and exterior surface mass concentrations ( $\mu g g^{-1}$ ) and surface loading rates ( $\mu g m^{-2}$  per week) of Pb, Cd and Ni found in the settled surface dust in domestic houses in an urban area of Giza

| Pollutant | The measured parameter     | Interior |         |        |        |        | Exterior |         |         |         |        |  |
|-----------|----------------------------|----------|---------|--------|--------|--------|----------|---------|---------|---------|--------|--|
|           |                            | Min.     | Max.    | Median | Mean   | SD     | Min.     | Max.    | Median  | Mean    | SD     |  |
| Lead      | Surface mass concentration | 110.00   | 525.00  | 315.00 | 311.18 | 97.59  | 160.00   | 508.00  | 310.00  | 323.38  | 88.06  |  |
|           | Surface loading rate       | 68.50    | 1753.05 | 407.59 | 533.17 | 378.45 | 1068.80  | 5542.30 | 2599.80 | 2657.75 | 884.44 |  |
| Cadmium   | Surface mass concentration | 12.00    | 67.00   | 30.50  | 33.09  | 13.35  | 16.00    | 65.00   | 34.00   | 35.19   | 10.73  |  |
|           | Surface loading rate       | 7.00     | 158.34  | 43.93  | 54.78  | 37.81  | 106.90   | 709.15  | 283.31  | 290.75  | 109.52 |  |
| Nickel    | Surface mass concentration | 18.43    | 127.92  | 45.91  | 53.51  | 24.97  | 25.60    | 104.00  | 54.40   | 56.30   | 17.17  |  |
|           | Surface loading rate       | 10.82    | 289.10  | 71.73  | 87.84  | 62.41  | 171.00   | 1134.64 | 453.29  | 465.17  | 175.21 |  |

Min.: minimum; Max.: maximum; SD: standard deviation.

**Table 3.** Correlation coefficients between loading rates of dust, mass concentrations and loading rates of Pb, Cd and Ni in the interior settled surface dust in domestic houses

| Surface mass concentration | Pb                        | 1       |               |                      |       |       |       |
|----------------------------|---------------------------|---------|---------------|----------------------|-------|-------|-------|
|                            | Cd                        | 0.89*   | 1             |                      |       |       |       |
|                            | Ni                        | 0.84*   | 0.98*         | 1                    |       |       |       |
| Surface loading rate       | Pb                        | 0.78*   | 0.89*         | 0.84*                | 1     |       |       |
| -                          | Cd                        | 0.87*   | 0.73*         | 0.69*                | 0.95* | 1     |       |
|                            | Ni                        | 0.88*   | 0.80*         | 0.77*                | 0.90* | 0.98* | 1     |
|                            | Surface dust loading rate | 0.53*   | 0.24**        | 0.18                 | 0.92* | 0.81* | 0.73* |
|                            | C                         | Pb      | Cd            | Ni                   | Pb    | Cd    | Ni    |
|                            |                           | Surface | e mass concer | Surface loading rate |       |       |       |

## Possible Influencing Factors

The interior surface loading rate of dust in domestic houses and its metal content varied largely depending on many considerations such as exterior pollution levels, interior–exterior air exchange rate, interior air recirculation rate, ventilation rate, interior activities, deterioration and erosion procedures, cleaning regimes and environmental and seasonal parameters. Therefore, the current study was concerned with three important factors: home location, home age and environmental tobacco smoke (ETS), which includes some of the factors previously considered that were thought to have a potential influence on the surface loading rate of dust in domestic houses and its metal content.

Home Location: Data analysis revealed that levels of the exterior surface loading rates of dust at main and side streets were much higher (6.3 and 4.4 times, respectively) than the interior levels. Interior and exterior surface loading rates of dust in the side streets were higher (1.7 and 1.2 times, respectively) than their main street values. In contrast, levels of the interior surface mass concentrations and surface loading rates of metals from the main streets were higher ( $\sim$ 1.61 and 1.2 times, respectively) than their corresponding levels in the side streets. The differences were

statistically significant (p < 0.001) for the mass concentration measurements and not statistically significant for loading rate measurements for all metals. The highest I/E ratio of surface mass concentrations of the metals were found in homes located on the main streets. Additionally, the average results summarised in Figure 1 exhibit the influence of home location on surface mass concentrations and loading rates of the metals in the interior settled surface dust in the study homes. The interior surface mass concentrations of Pb, Cd and Ni averaged, respectively, 304.04, 31.53 and  $49.43 \,\mu g \, g^{-1}$  at the main streets and 189.26, 19.00 and  $30.18 \,\mu g g^{-1}$ , respectively, at the side streets, while levels of the interior surface loading rates of Pb, Cd and Ni averaged, respectively, 314.35, 32.19 and  $50.5 \,\mu g \,m^{-2}$  per week at the main streets and 270.54, 26.88 and  $43.35 \,\mu g \,m^{-2}$  per week, respectively, at the side streets.

Home Age: Data summarised showed that levels of the exterior surface loading rates of dust at new and old homes were much higher (9.1 and 4.8 times, respectively) than the interior levels. The interior surface loading rates of dust were higher in older homes than in new homes and differences in their measurements were statistically significant (p < 0.001). For non-smoking and smoking



**Fig. 1.** A comparison of averages of interior surface mass concentrations ( $\mu g g^{-1}$ ) and interior surface loading rates ( $\mu g m^{-2}$  per week) of Pb, Cd and Ni in new and old non-smoking homes located on the main and in side streets. Pb levels are scaled differently: Pb values to be multiplied by  $10^{-1}$ .

homes, the highest values of interior surface loading rate of dust and lead besides Pb mass concentrations were found in the oldest home while the lowest values were observed in the most recent home. The average results summarised in Figure 1 also illustrate that levels of the interior surface mass concentrations and loading rates of the three metals were higher in older homes than in new homes at both main and side streets. Differences in the corresponding values at new and older homes were statistically significant for Pb only (p < 0.001 for mass concentrations measurements and p < 0.01 for loading rates measurements), and not statistically significant for Cd and Ni. To be more precise, the average interior surface mass concentration and loading rate of lead at the main streets were respectively,  $346.17 \,\mu g \, g^{-1}$  and  $409.31 \,\mu\text{g}\,\text{m}^{-2}$  per week in older homes and  $261.92 \,\mu\text{g}\,\text{g}^{-1}$ and 219.38  $\mu$ g m<sup>-2</sup> per week in new homes. Meanwhile, at the side streets, their values averaged, respectively,  $221.10 \,\mu g g^{-1}$  and  $366.32 \,\mu g m^{-2}$  per week in older homes, and  $157.42 \,\mu g \, g^{-1}$  and  $174.76 \,\mu g \, m^{-2}$  per week in new homes.

Environmental Tobacco Smoke: Output results displayed that the average values of exterior surface loading rates of dust at non-smoking and smoking homes were much higher (6.7 and 4.4 times, respectively) than their interior average. The interior surface loading rates of dust were higher in smoking homes (1.7 times) than in nonsmoking homes. Similarly, levels of the surface mass

concentrations and loading rates of the metals were higher  $(\sim 1.6 \text{ and } 2.7 \text{ times, respectively})$  in smoking homes than in non-smoking homes. Differences in the corresponding measurements of dust and metals in non-smoking and smoking homes were statistically significant (p < 0.001). I/E ratios of surface mass concentrations of metals averaged 0.76 for non-smoking homes and 1.13 for smoking homes. The highest I/E ratios of surface loading rates of metals were recorded in smoking homes. The average results recapitulated in Figure 2 reveal the influence of tobacco smoke on the interior surface mass concentrations and loading rate of the three metals. The average interior surface mass concentrations of Pb. Cd and Ni were, respectively, 246.65, 25.27 and 39.80  $\mu$ g g<sup>-1</sup> in non-smoking homes and 375.71, 40.92 and 67.23  $\mu$ g g<sup>-1</sup> in smoking homes. While the average interior surface loading rates of Pb, Cd and Ni were, respectively, 292.24, 29.53 and  $46.92 \,\mu g \,m^{-2}$  per week in non-smoking homes, they were 773.14, 80.04 and 128.76  $\mu$ g m<sup>-2</sup> per week in smoking homes.

## Discussion

The results presented in this study show that the interior settled surface dust in domestic houses may be derived from exterior sources, although interior sources might contribute as well. The penetration of outdoor



**Fig. 2.** A comparison of averages of interior surface mass concentrations ( $\mu g g^{-1}$ ) and interior surface loading rates ( $\mu g m^{-2}$  per week) of Pb, Cd and Ni in non-smoking and smoking homes. S.M.C.: surface mass concentration; S.L.R.: surface loading rate; smok. H.: smoking homes. Pb levels are scaled differently: Pb values to be multiplied by  $10^{-1}$ .

particles into the indoor environment has been shown to be a significant source of indoor dust loads [33,34]. It has been estimated that as much as 85% of indoor dust is from outside the home [35]. Existence of high levels of interior surface loading rates of dust in homes located at the side streets, in older homes and in smoking homes could be attributed to the nature and characterisation of the study area and also the homes investigated, for example, where most of surroundings side streets of the study area are unpaved. Consequently, the re-suspension of street dust from these streets leads to an increase in loading rates of dust in the side streets. Whereas, in older homes it could be a consequence of the deterioration and erosion that usually occur in the old homes causing an increase in the interior surface loading rate of dust. While in smoking homes, cigarette smoke increases the levels of interior suspended particulate matter that later settled or adsorbed on or attached to interior surfaces, posing an enhancement in the interior levels of surface loading rate of dust. Smoking was the predominant activity associated with elevated concentration of particles [3]. Smoking can add  $\sim 20 \,\mu g \,m^{-3}$  (24 h mean) of particles per smoker to a household [36], with short-term peaks of  $300 \,\mu g \,m^{-3}$ , which can persist for up to 30 min after a cigarette is finished [37].

The average values of the exterior surface loading rates of Pb detected in the settled surface dust in domestic

houses at Giza was much higher ( $\sim 5$  times) than its interior average. However, 18.75%, 77.09% and 47.91% of the surface Pb per area in non-smoking homes, smoking homes and all homes, respectively, exceed the interior floor Pb dust-wipe guideline  $(40 \,\mu g \, ft^{-2})$  set by US HUD [38] and US EPA [39]. Moreover, the average interior surface loading rates of Pb at Giza was much higher (6.7 times) than the corresponding average found in New York homes as reported by Caravanos et al. [31]. Exposure to high levels of Pb in surface home dust at Giza may pose a great health risk by increasing the blood Pb levels and children's body burden of Pb. The potential hazard effect of Pb on health is confirmed by Gulson et al. [40], Kimbrough et al. [41] and Roy et al. [42] who all concluded that blood Pb concentrations and children's body burden of Pb are associated with house dust Pb.

In general, the high levels of Pb monitored in the Giza atmosphere corroborate the proposal that accumulated Pb particles in both vehicle exhaust system and street dust (Pb-bearing dust), from the extensive past use of leaded gasoline, could be considered as an indirect Pb source particularly at El Haram, considered as the area with the highest congestion of traffic at least in Giza, if not in Egypt. Furthermore, the El Haram area is characterised by numerous and different anthropogenic activities and some of these activities extend late into the night. Meanwhile in domestic interior environments, Pb is derived from interior Pb-based paint, tobacco smoke and cooking emissions in addition to that which comes from exterior sources. Exterior sources are widely known to contribute to Pb in residential dust via transfer from the exterior into the house [1,2,14,31,43–45].

Levels of the interior surface mass concentrations and loading rates of the three metals were higher in main streets than in side streets. Living close to a main road leads to increases in Pb and Cd levels in house dust [46]. Associations between Pb and Cd levels in interior dust and traffic density and/or distance from roads have been found in several studies [7,47]. The amount of Pb in interior dust was shown to be affected by the age of the house [46]. Consistent with the observations of previous investigators, a relationship between Pb concentrations in house dust and the age of housing has been found in many other studies [5,47,48] and it is considered to be due to the prevalence of Pb-containing paints in older houses. Significant higher dust Pb levels were found in older homes [22,49]. Use of Pb pigments, especially in interior paints, may significantly influence Pb levels in house dust [50].

The significantly higher levels of Cd, Pb and Ni in smoking homes show that tobacco smoking increases the levels of the three metals [29,51,52]. Smoking is a known indoor source of Pb [53] and Cd [54]. Also, a significant association between number of smokers in the household and an elevated dust Cd loading rate has been found [55].

In the light of the correlation study results, it could be assumed that Cd and Ni were derived mainly from exterior sources, although interior sources of these metals might be important as well. The highly significant correlations found among the three metals in the interior settled surface dust may denote that all of them share the same sources. The interior mass concentrations and loading rates of both Cd and Ni in the settled surface dust were not significantly associated with home age.

Finally, the data presented in this paper show certain factors, such as home location, home age and condition, which affect the amount of dust in domestic houses and its metal content. Also, differences in activities, habits, behaviour and cleaning regimes, can affect the amount of dust and metals accumulating over time in individual homes and have a significant impact on loading rate of dust and metals. A home in which Pb dust is removed daily from surfaces will have a lower Pb loading than a home in which Pb dust is removed weekly from surfaces, even if both homes had the same Pb loading rate [56]. The impact of cleaning regime on Pb loading can be quite significant, with some new regimes reducing indoor Pb and dust levels from 50% to 98% [57–59].

#### Recommendations

In the light of these results, we make the following suggestions to mitigate lead exposure to young children: Remove settled surface home dust daily. Use paints that are not lead-based. Stop tobacco smoking, particularly indoors. Pave the side streets, particularly in residential and commercial areas. The scientific community, especially in developing countries, which suffers from serious pollution-related health problems, should pay more attention to the potential health effects of settled dust in domestic houses.

## Conclusions

It is worth noting that the atmosphere in Giza is still contaminated by lead despite a decade of using unleaded gasoline. The lead is found in surface dust in houses and it was noted that although loading rates of the settled dust in homes were higher in side streets than main streets, levels of metals were higher in dust from main streets and consequently, this poses the greater hazard. Measurements of interior surface loading rates of dust and metals and also metals' surface mass concentrations were significantly associated with home location and tobacco smoke. Except for Cd and Ni measurements, the same finding was observed related to the age of the home.

Overall, this study may shed some light on the risks from settled surface dust and those arising in part from unpaved streets which may be a particularly Egyptian problem.

#### References

- Butte W, Heinzow B: Pollutants in house dust as indicators of indoor contamination: Rev Environ Contamination Toxicol 2002;175:1–46.
- 2 Lioy PJ, Freeman NC, Millette JR: Dust: A metric for use in residential and building exposure assessment and source characterization: Environ Health Perspect 2002;110(10):969–983.
- 3 Wallace L: Indoor particles: A review: J Air Waste Manage Assoc 1996;46:98–126.
- 4 Morawska L, Salthammer T (eds): Indoor Environment: Airborne Particles and Settled Dust. Weinheim, Wiley-VCH, 2003.
- 5 Culbard EB, Thornton I, Watt J, Wheatley M, Moorcroft S, Thompson M: Metal contamina-

tion in British urban dusts and soils: J Environ Qual 1988;17:226-234.

6 Rutz E, Valentine J, Eckart R, Yu A: Pilot study to determine levels of contamination in indoor dust resulting from contamination of soils: J Soil Contam 1997;6(5):525–536.

- 7 Fergusson JE, Kim ND: Trace elements in street and house dusts: Sources and speciation: Sci Total Environ 1991;100:125–150.
- 8 Trowbridge PR, Burmaster DE: Parametric distribution for the fraction of outdoor soil in indoor dust: J Soil Contam 1997;6 (2):161–168.
- 9 Morawska L, Salthammer T: Fundamentals of indoor particles and settled dust: in Morawska L, Salthammer T (eds): Indoor Environment: Airborne Particles and Settled Dust, Germany, Wiley-VCH, 2004, pp. 1–46.
- 10 Cooke TF: Indoor air pollutants: A literature review: Rev Environ Health 1991;9:137–160.
- 11 Hogervorst J, Plusquin M, Vangronsveld J, Nawrot T, Cuypers A, Hecke EV, Roels HA, Carleer R, Staessen JA: House dust as possible route of environmental exposure to cadmium and lead in the adult general population: Environ Res 2007;103:30–37.
- 12 Clark S, Menrath W, Chen M, Succop P, Bornschein R, Galke W, Wilson J: The influence of exterior dust and soil lead on interior dust lead levels in housing that had undergone lead-based paint hazard control: J Occup Environ Hygiene 2004;1:273–282.
- 13 Khillare PS, Balachandran S, Meena BR: Spatial and temporal variation of heavy metals in atmospheric aerosol of Delhi: Environ Monit Assess 2004;90:1–21.
- 14 Farfel MR, Orlova AO, Lees PSJ, Rohde C, Ashley P, Chisolm Jr JJ: A study of urban housing demolitions as sources of lead in ambient dust: Demolition practices and exterior dust fall: Environ Health Perspect 2003;111:1228–1234.
- 15 General Paint Corp.: 63–074 Alkyd Traffic Paint-Yellow. 604 253 4022, 2005.
- 16 Al-Masri MS, Al-Kharfan K, Al-Shamali K: Speciation of Pb, Cu and Zn determined by sequential extraction for identification of air pollution sources in Syria: Atmos Environ 2006;40:753–761.
- 17 Ozkan MH, Gurkan R, Ozkan A, Akcay M: Determination of manganese and lead in roadside soil samples by FAAS with ultrasound assisted leaching: J Anal Chem 2005;60:469–474.
- 18 Charlesworth S, Everett M, McCarthy R, Ordonez A, De Miguel E: A comparative study of heavy metal concentration and distribution in deposited street dusts in a large and a small urban area: Birmingham and Coventry, West Midlands, UK: Environ Int 2003;29:563–573.
- 19 Divrikli V, Soylak M, Elic L, Dogan M: Trace heavy metal levels in street dust samples from Yazgat city center: Turkey: J Trace Microprobe Tech 2003;21(2):351–361.
- 20 US EPA (US Environmental Protection Agency): National Toxics Inventory for On Road Sources Emission Factor and Inventory Group (MD – 14): Emissions, Monitoring and Analysis Division, Research Triangle Park, NC, June 2000.
- 21 IPCS: Environmental Health Criteria 108, Nickel: World Health Organization, International Programme on Chemical Safety, 1991.
- 22 Spalinger SM, Von Braun MC, Petrosyan V, Von Lindern IH: Northern Idaho house dust

and soil lead levels compared to the Bunker Hill superfund site: Environ Monit Assess 2007;130:57–72.

- 23 Järup L: Hazards of heavy metal contaminants: Br Med Bull 2003;68:167–182.
- 24 Nordberg GF: Environmental exposure and preventive measures in Sweden and EU: Biometals 2004;17:589–592.
- 25 Paustenbach DJ, Finley BL, Long TF: The critical role of house dust in understanding the hazards posed by contaminated soils: Int J Toxicol 1997;16:339–362.
- 26 Flora SJS: Lead exposure: Health effects, prevention and treatment: J Environ Biol 2002;23:25-41.
- 27 IARC, International Agency of Research on Cancer: Cadmium and cadmium compounds: IARC Mongor Eval Carcin Risks Chem Man 1976;11:39–74.
- 28 De Burbure C, Buchet JP, Bernard A, Leroyer A, Nisse C, Haguenoer JM, Bergamaschi E, Mutti A: Biomarkers of renal effects in children and adults with low environmental exposure to heavy metals: J Toxicol Environ Health 2003;66:783–798.
- 29 Willers S, Gerhardsson L, Lundh T: Environmental tobacco smoke (ETS) exposure in children with asthma-relation between lead and cadmium, and cotinine concentrations in urine: Respir Med 2005; 99: 1521–1527.
- 30 Lim MCH, Ayoko GA, Morawska L: Characterization of elemental and polycyclic aromatic hydrocarbons compositions of urban air in Brisbane: Atmos Environ 2005; 39:463–476.
- 31 Caravanos J, Weiss AL, Jaeger RJ: An exterior and interior leaded dust deposition survey in New York City: Results of a 2-year study: Environ Res 2006;100:159–164.
- 32 Harrison RM, Perry RH: Hand Book of Air Pollution Analysis, 2nd edn. London, New York, Chapman and Hall, 1986.
- 33 Riley WJ, McKone TE, Lai AC, Nazaroff WW: Indoor particulate matter of outdoor origin: Importance of size-dependent removal mechanisms. Environ Sci Technol 2002; 36:200–207.
- 34 McKone TE, Thatcher TL, Fisk WJ, Sextro RG, Sohn MD, Delp WW, Riley WJ: Factors affecting the concentration of outdoor particles indoors: Existing data and data needs: Levin H (ed.): Indoor Air 2002, Monterey, California, 2002, pp. 176–181.
- 35 Roberts JW, Camaan DE, Spittler TM: Reducing lead exposure from remodeling and soil track-in in older home: Air and Waste Management Association paper 91-134.2: in 84th Annual Meeting and Exhibition, Vancouver, British Columbia, 16–21 June, 1991.
- 36 Spengler JD, Dockery DW, Turner WA, Wolfson JM, Ferris Jr BG: Long-term measurements of respirable sulphates and particles inside and outside homes: Atmos Environ 1981;15:23–30.
- 37 Chao CYN, Tung TCW, Burnett J: Influence of different indoor activities on the indoor particulate levels in residential buildings: Indoor Built Environ 1998;7:110–121.

- 38 US HUD (US Housing and Urban Development Agency): Requirements for notification, evaluation and reduction of lead-based paint hazards in federally owned residential property and housing receiving federal assistance: Fed Reg 1999; 64(178):50140-50231.
- 39 US EPA (US Environmental Protection Agency): Lead: Identification of dangerous levels of lead; Final rule: 40CFR745. Fed Reg 2001;66:6763–6765.
- 40 Gulson BL, Davis JJ, Mizon KJ, Korsch MJ, Law AJ, Howarth D: Lead bioavailability in the environment of children: Blood lead levels in children can be elevated in a mining community: Arch Environ Health 1994; 49:326–331.
- 41 Kimbrough R, LeVois M, Webb M: Survey of lead exposure around a closed lead smelter: Pediatrics 1995;95:550–554.
- 42 Roy A, Georgopoulos PG, Ouyang M, Freeman N, Lioy PJ: Environmental, dietary, demographic, and activity variables associated with biomarkers of exposure for benzene and lead: J Expos Anal Environ Epidemiol 2003; 13:417–426.
- 43 Adgate JL, Willis RD, Buckley TJ, Chow JC, Watson JG, Rhoads GG, Lioy PJ: Chemical mass balance source apportionment of lead in house dust: Environ Sci Techn 1998; 32:108–114.
- 44 Roberts JW, Clifford WS, Glass G, Hummer PC: Reducing dust, lead, dust mites, bacteria, and fungi in carpets by vacuuming: Arch Environ Contam Toxicol 1999;36:477–484.
- 45 Wong EY, Shirai JH, Garlock TJ, Kissel JC: Survey of selected activities relevant to exposures to soils: Bull Environ Contam Toxicol 2000;65:443–450.
- 46 Meyer I, Heinrich J, Lippold U: Factors affecting lead and cadmium levels in house dust in industrial areas of eastern Germany: Sci Total Environ 1999; 234:25–36.
- 47 Harper M, Sullivan KR: Wind dispersal of metals from smelter waste tips and their contribution to environmental contamination: Environ Sci Technol 1987;21:481–484.
- 48 Sutton PM, Athanasoulis M, Flessel P, Guirguis G, Haan M, Schlag R, Goldman LR: Lead levels in the household environment of children in three high-risk communities in California: Environ Res 1995;68:45–57.
- 49 Tong STY: Indoor and outdoor household dust contamination in Cincinnati, Ohio, USA: Environ Geochem Health 1998;20:123–133.
- 50 Kim KW, Myung JH, Ahn JS, Chon HT: Heavy metal contamination in dusts and stream sediments in the Taejon area, Korea: J Geochem Exploration 1998;64:409–419.
- 51 Wu D, Landsberger S, Larson SM: Determination of the elemental distribution in cigarette components and smoke by instrumental neutron activation analysis: J Radioanal Nuclear Chem 1997;217(1):77–82.
- 52 Smith CJ, Livingston SD, Doolittle DJ: An international literature survey of "IARC Group I carcinogens" reported in mainstream cigarette smoke: Food Chem Toxicol 1997;35:1107–1130.

- 53 Wilhelm M, Ewers U: Metalle/Blei: in Wichmann H-E, Schlipköter HW, Fülgraff G (eds): Handbuch der Umweltmedizin Ch. VI-3, Landsberg, Ecomed Verlag, 1993, pp. 1–23.
- 54 Ewers U, Wilhelm M: Metalle/Cadmium: in Wichmann H-E, Schlipköter HW, Fülgraff G (eds): Handbuch der Umweltmedizin, Ch.VI-3, Landsberg, Ecomed Verlag, 1995, pp. 1–27.
- 55 Schulz C, Chutsch M, Bernigau W, Henke M, Krause C, Schwarz E: Determination of lead, cadmium and arsenic levels in household dust:

Sampling techniques and assessment of causes of contamination: Indoor Air 1993;1:103–104.

- 56 Boreland F, Lyle DM: Lead dust in Broken Hill homes: Effect of remediation on indoor lead levels: Environ Res 2006;100:276–283.
- 57 Batelle Memorial Institute: Review of studies assessing lead abatement effectiveness (final report): Prepared for the Technical Programs Branch, Chemical Management Division, Office of Pollution Prevention and Toxics, Office of Prevention, Pesticides and Toxic

Substances, US Environmental Protection Agency, Washington, DC, 1995.

- 58 Leese KE, Cole EC, Hall RM, Berry MA: Measurement of airborne and floor dusts in a nonproblem building: Am Ind Hyg Assoc J 1997;58:432–438.
- 59 Lioy PJ, Yiin LM, Adgate J, Weisel C, Rhoads GG: The effectiveness of home cleaning intervention strategy in reducing potential dust and lead exposures: J Exp Anal Environ Epidemiol 1998;8:17–35.